

POOL CLEANERS 2016

Content

Electric Cleaners

Handheld Rechargeable

- **Telsa 10™** 02
- **Telsa 50™** 03
- **Telsa 80™** 04

Handheld Non-Rechargeable

- **Wanda™** 05
- **Lektra™** 06

Robotic Pool Cleaner

- **E-Klean™** 07
- **TurboKlean™** 08
- **TurboTrak™** 09

Hydraulic Cleaners

Handheld Suction from Filtration System

- **Skooba™** 10
- **SkoobaMax™** 11
- **B-Vac™** 12
- **V-Trap™** 13

Handheld Independent of Filtration System

- **ManoVac™** 14

Automatic Low Flow Pumps

- **Zappy™ & ZappyMax™** 15

Automatic Low Flow Pumps

- **Krill™** 16

Automatic Medium Flow Pumps

- **Dipper™ & Derby™** 17
- **ZapVac™ & DipperMax™** 18
- **Butterfly™** 19
- **Zorba™** 20
- **ZapMax™** 21

Leaf Canisters

- **Leaf Canisters** 22

Electric Cleaners

		Handheld				Robotic										
		Rechargeable Battery		Non-Rechargeable		Power Supply										
		EV10	Telsa 10	EV50	Telsa 50	EV80	Telsa 80	K850 / K896	Wanda	K940	Lektra	K900	E-Klean	K980	TurboTrak	
		46L/min	46L/min	95L/min	95L/min	95L/min	95L/min	30L/min	30L/min	30L/min	30L/min	17m ² /h	17m ² /h	15.5m ² /h		
		Rechargeable Lithium Battery														
		Small Pools + Spas + Spot Cleaning	Medium + Large Pools + Spot Cleaning	Medium + Large Pools	Above Ground Pools (from 4.57m / 15ft to 5.5m / 18ft)	Above Ground Pools (from 2.4m / 8ft to 3.6m / 12ft) + Spot Cleaning	Small to Medium Above Ground Pools									
		✓	✓	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗
		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
		✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗
		✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗
		✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗
		1.65m / 5ft4in	1.65m / 5ft4in	1.65m / 5ft4in	1.91m / 6ft3in	1.46m / 4ft8in	1.46m / 4ft8in									
		500cc	500cc	650cc	100cc	2,200cc	300cc									
		25min	25min	90min	45min	90min	45min									
		✓	✓	✓	✓	✓	✓									
		✗	✓	✓	✓	✓	✗									
		- Included pole	- Removeable head - Spot cleaning - Surface cleaning	- Large debris capacity - Easy maneuvering	- Small head for corners & steps	- Wheels for smooth gliding on pool floor - Telescoping handle - Removeable head	- Very light - Low energy consumption	- Climbs Walls								

* For a cleaner to function correctly both minimum pump power and minimum system flow rate are required.

Electric Cleaners

Handheld Rechargeable

NEW

Ideal for Cleaning Small Pools & Spas

Telsa 10™ Rechargeable Pool Vacuum

EV10CBX

Features:

- Vacuums debris & filters water.
- Rechargeable battery pack.
- Lithium ION battery: Extended life, no memory.
- Easy access to remove and empty the filter bag.
- Wheels ensure smooth and easy movement over any pool surface.
- Removable brush for scrubbing off debris efficiently.
- Completely submersible body.
- Connects to a 4-section pole (included).
- Also fits standard telescopic pole (not included) with V-clip.

- Recommended for: Small pools up to 457cm / 15ft & spas.
- Flow Rate: 12gal/min / 46L/min

Specifications:

- Debris Capacity: 0.13gal / 0.5L
- Running Time: 25min
- Working Time: 25min
- Charging Time: 3 - 4 hours
- Battery Type: Li-ion 18650 2000mAh 7.4V
- Packaging Size: W51.5 x L16.5 x H15cm

Included:

- 1 Pool cleaner
- 1 Battery charger
- 1 Filter bag
- 1 4-section pole
- 1 clip-on brush

EV10CBX/EU - With European round pin plug.

EV10CBX/US - With North American flat pin plug.



Electric Cleaners

Handheld Rechargeable

NEW

The **Telsa 50™** electric vacuum cleaner works underwater with a powerful suction that quickly and efficiently eliminates sand, gravel and other debris from the bottom of a pool or spa. Its rechargeable battery pack powers a vacuum pump to create suction without using hoses or electrical cords. It operates both as a handheld device or attaches to a standard telescopic pole (not included). Installation is simple, with no tools required, allowing users to clean their pool quickly and efficiently with minimum effort.

Telsa 50™ High Power Rechargeable Pool Vacuum

EV50CBX

Features:

- Vacuums debris & filters pool water.
- Rechargeable battery pack.
- Lithium ION battery: Extended life, no memory.
- Easily turned on / off at the press of a soft-touch button.
- Small valve allows filtered water to easily flow out of cleaner when pulled out of water.
- Debris is collected in an easy-to-empty rigid filter cone.
- Clear clip-lock canister enables debris to be seen.
- Hold by handle or connect to a standard telescopic pole (not included).
- Entirely submersible.
- Removable pivoting head with ball wheels easily glides on any pool surface including steps.
- Removable bristles are positioned on head for an efficient removal of debris.
- Recommended for: Medium to large pools up to 732cm / 24ft & spas.
- Flow Rate: 25gal/min / 95L/min

Specifications:

- Debris Capacity: 0.17gal / 0.65L
- Running Time: 90min
- Working Time: 90min
- Charging Time: 4 - 5 hours
- Battery Type: Li-ion 18650 4000mAh 11.1V
- Packaging Size: W42 x L20.5 x H24cm

Included:

- 1 Pool cleaner
- 1 Battery charger
- 1 Filter cone with stainless steel mesh
- 1 pole connector
- 1 handle
- 1 pivoting head with wheels
- 3 clip-in brushes

EV50CBX/EU - With European round pin plug.

EV50CBX/US - With North American flat pin plug.



Patent Pending



Electric Cleaners

Handheld Rechargeable

NEW

Telsa 80™ High Capacity Rechargeable Pool Cleaner

EV80CBX

Features:

- Vacuums debris & filters water.
- Rechargeable battery pack.
- Lithium ION battery: Extended life, no memory.
- Easily turned on/off at the press of a soft-touch button.
- Very large debris chamber allows vacuuming of entire pool before having to empty cleaner.
- Clear clip-lock cover enables the debris to be seen.
- Extra-large base with wide opening covers large surface area & vacuums up even large debris.
- Connects to any standard telescopic pole (not included) with quick-release easy clip.
- Ergonomic handle is provided to carry the cleaner and easily lift it in / out of the pool.
- Soft bumper around base protects the pool walls and liner.
- Supported by 5 pivoting wheels for stability & easy maneuvering over any pool surface.
- Recommended for: Medium & large pools
- Flow Rate: 25gal/min / 95L/min

Specifications:

- Debris Capacity: 0.58gal / 2.2L
- Running Time: 90min
- Working Time: 90min
- Charging Time: 4 - 5 hours
- Battery Type: Li-ion 18650 4000mAh 11.1V
- Packaging Size: W43 x L43 x H31cm

Included:

- 1 Pool cleaner
- 1 Battery charger
- 1 rigid filter mesh
- 1 pole connector
- 1 ergonomic handle
- 5 pivoting wheels

EV80CBX/EU - With European round pin plug.

EV80CBX/US - With North American flat pin plug.



Patent Pending



Electric Cleaners

Handheld Non-Rechargeable

Wanda™ quickly eliminates sand, gravel and other debris from the bottom of your small pool or spa. Since the vacuum pump is battery-powered, the Wanda does not need any hose connection or electrical cord. Debris is vacuumed up into a durable stainless steel filter cage contained within a transparent sleeve, which shows when the filter cage is full. When necessary, the filter cage can be easily removed, emptied, and replaced.

Wanda™ Battery Powered Vacuum

K850DIS, K896CBX

For Europe: K850DIS/EU, K896CBX/EU with EMC approved motor

- Vacuum created by battery-powered pump using 8 AA batteries (not included).
- Telescopic handle reaches up to 1.9m / 6¼ft when fully extended.
- Includes clip-on brush.
- Grill-covered discharge from propeller for increased safety.
- Operating time on fresh batteries: up to 1½ hours. (depending on battery brand)

* K850DIS - With 2-section telescopic pole in stand-up retail display.

* K896CBX - With 3-section telescopic pole in compact color box.

IDEAL FOR SPA



Electric Cleaners

Handheld Non-Rechargeable

Lektra™ is ideal for cleaning small soft wall pools, kiddie pools and inflatable spas. Its battery-powered pump creates suction that provides a cordless and hose-free solution for pool cleaning. Its lightweight design ensures quick elimination of sand, gravel and other debris from the bottom of a pool or spa with minimum effort.

Lektra™ Battery Powered Pool Vacuum Broom

K940CBX

Features:

- Battery-powered pump creates suction, no need for hoses or electrical cord.
- Telescopic handle with ergonomic grip and locking mechanism.
- Simple press-button operation.
- Telescopic pole reaches up to 1.5m / 5ft when fully extended.
- Grill-covered discharge for increased safety.
- Underside wheels for easy gliding, clip-on brush scrubs away debris from the pool floor.
- Quick to assemble, no tools needed.
- Packed in compact color box.

- Recommended for: Small Above Ground Pools, Spas & Spot Cleaning.

Specifications:

- Operating time on fresh batteries: up to 1½ hours. (depending on battery brand)
- Requires 8 AA batteries (not included).
- Includes an easy-to-empty debris collection bag.



Electric Cleaners

Robotic Pool Cleaner

E-Klean™ Robotic Pool Cleaner

K900CBX, K900CBX/US

Features:

- Convenient automatic pool cleaning at the press of a button.
 - Easy to set-up and use.
 - Bag-less design traps debris in an easy-to-empty compartment.
 - 1h/1.5h/2h cleaning programs with automatic shut-off, plus manual cleaning mode.
 - Power supply unit integrated with control panel.
 - Adjustable jet to direct the cleaner for optimal pool bottom cleaning coverage.
 - Includes underside brushes for efficient cleaning.
 - Simultaneously vacuums pool bottom & filters pool water (17m³/hr).
 - Lightweight design ensures easy lifting of cleaner.
 - Durable non-slip wheels do not damage the pool liner.
- Dimensions: W40.5 x L33x H16.5cm
- Packaging Size: W48.5 x L36 x H35cm

Specifications:

K900CBX - With European round pin plug.

- Cable length: 9m / 29.5ft
- Filtration capacity: 17m³/h
- 120W DC24V motor with low energy consumption rates.
- Recommended for: Above Ground Pools up to 5.5m / 18ft in diameter.
- Running speed: 20m/min
- Cleaner: IP X8 ; Power supply and control unit: IP X5

K900CBX/US - With North American flat pin plug.

- Cable length: 12m / 39ft
- Filtration capacity: 17m³/h
- 120W DC24V motor with low energy consumption rates.
- Recommended for: Above Ground Pools up to 7.3m / 24ft in diameter.
- Running speed: 20m/min
- Cleaner: IP X8 ; Power supply and control unit: IP X5



Electric Cleaners

Robotic Pool Cleaner

The **TurboTrak™** Robotic Pool Cleaner is designed to clean all areas of the pool, ranging from the bottom of the pool to the waterline. Enjoy significant savings on time and money with **TurboTrak™**'s patented design, which provides triple functionality to scrub, vacuum, and filter simultaneously. The dual-motor design uses one motor to power the movement, and one for the cleaning functions, creating an efficient and thorough cleaning process. It operates using a safe and low voltage of 24V direct current at all times.

TurboTrak™

K980CBX, K980CBX/US

Features:

- Scrubs, vacuums pool surfaces, and filters water all at the same time.
- Suitable for all types of pool and surfaces, as well as sloped bottoms.
- Dual-motor design separates the drive and pump motors for increased working efficiency.
- Side dome rollers provide better rotation around the corners.
- Easy-to-clean double filter bags collect leaves & debris to avoid burdening pool's filtration system.
- 2 cleaning cycles with automatic shut-off, plus manual cleaning mode.
- Simple to configure and set up.
- Wide front scrubber facilitates efficient dirt removal.
- Low energy consumption rates.
- Power supply unit integrated with control panel.

Specifications:

- Maximum cleaning area: 300m² / 3,200ft²
- Filtering capacity: 15.5m³/h / 4,000gal/h
- Filtering capability: 100µm
- Input voltage & frequency: 230V / 50Hz for EU; 110V / 60Hz for US
- Outage voltage: DC24V
- Running speed: 12m/min
- Cable length: 18m / 58.5ft
- Recommended pool size: 19 x 19.5m / 62 x 64ft or diam. 13.5m / 44ft
- IP Grade: cleaner (IP68), power supply & control unit (IPX4).
- Cleaning width: 36cm / 14in
- Rated input power at 200W



Remote control version

K982CBX, K982CBX/ US

- Includes remote control to redirect the cleaner at ease.
- R/C free field range: 20m / 65ft
- R/C battery type: A23 / 12V



CLIMBS WALLS



Carrying Caddy

- Available in high strength thermoplastic or in stainless steel.
- Keeps the cleaner, control box and cable neatly in place.
- Facilitates manoeuvring around the pool area.

K984BX:

High Strength Thermoplastic Caddy

K983BX:

Stainless Steel Metal Caddy



Hydraulic Cleaners

		Handheld				Automatic							
Min. Pump Power	45W		85W		Low Flow pump (from 99w)		0.5HP pump		0.75HP pump		1HP pump		
	K563 Skooba Max	K923 B-Vac	K816 V-Trap	K738 Miano Vac	K755 Zappy	AC10 Kroll	K767RV Derby	K910 Dipper	K389 Zap Vac	K915 Dipper Max	K905 Butterfly	K800 Zorba	K922 Zap Max
* Minimum System Flow Rate	1.8m³/h / 500gal/h	1.8m³/h / 500gal/h	3.8m³/h / 1,000gal/h	3.8m³/h / 1,000gal/h	3.8m³/h / 1,000gal/h	5m³/h / 1,300gal/h	5m³/h / 1,300gal/h	5m³/h / 1,300gal/h	6m³/h / 1,600gal/h	6m³/h / 1,600gal/h	6m³/h / 1,600gal/h	8m³/h / 2,100gal/h	8m³/h / 2,100gal/h
Climbs Walls	--	--	--	--	X	X	X	X	✓	✓	✓	X	X
Pool Bottom subject to pump power and pool geometry	--	--	--	--	✓	✓	✓	✓	✓	✓	✓	✓	✓
Recommended Type of Pool	Above Ground Pools (from 2.4m / 8ft to 4.57m / 15ft)	Above Ground Pools (from 2.4 / 8ft to 4.57m / 15ft)	Above Ground Pools (from 4.57m / 15ft to 5.5m / 18ft)	Spas + Spot Cleaning	Above Ground Pools (from 4.57m / 15ft to 5.5m / 18ft)	Above Ground Pools (up to 4.85m / 16ft)	Above Ground Pools (up to 6.1m / 20ft)	Above Ground Pools (up to 6.1m / 20ft)	Above Ground Pools (up to 7.3m / 24ft)	Above Ground Pools (up to 7.3m / 24ft)	Above Ground Pools (up to 8.2m / 27ft)	Above Ground Pools (up to 6.1m / 20ft)	Inground Pools (up to 8.2m / 27ft)
	X	X	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Hose Length	5m / 16ft	5m / 16ft	6m / 20ft	1.94m / 6ft4in	6.1m / 20ft	8m / 26ft3in	8.25m / 27ft	8.25m / 27ft	9.6m / 31ft6in7	9.75m / 32ft	104m / 34ft1in	8.25m / 27ft4	10.4m / 34ft1in
Pole Length	1.64m / 5ft4in	1.90m / 6ft2in	1.21m / 4ft	1.94m / 6ft4in	6.1m / 20ft	8m / 26ft3in	8.25m / 27ft	8.25m / 27ft	9.6m / 31ft6in7	9.75m / 32ft	104m / 34ft1in	8.25m / 27ft4	10.4m / 34ft1in
Key Features	- Twist & lock closing system - Connectors compatible with most leading soft wall pool brands on the market	- Wheels for smooth gliding on pool floor - Connectors compatible with most leading soft wall pool brands on the market - Larger hose	- Weighted head - Spring loaded handle - Soft corner bumpers - Spiral ridges for increased vacuuming efficiency - Connectors compatible with most leading soft wall pool brands on the market	- Pump action hand operated vacuum - Includes add-on brush nozzle, leaf skimmer, and practical wall mount bracket for storage	- Debris collected inside easy-to-clean filter basket to avoid clogging the filter - World's first automatic cleaner for soft wall pools	- Debris collected inside cleaner - Silent - Easy access to filter cage	- Back bumper - Pressure regulator	- Low maintenance - Fast - Silent - Back bumper	- Back bumper - Pressure regulator	- Low maintenance - Fast - Silent - Back bumper	- Low maintenance - Fast - Silent - Back bumper	- Debris collected inside cleaner - Fast - Silent - Transparent head to see debris - Powered by pressure from water return	- Hydrodynamic casing - Sturdy - Heavy body - Handle - Ideal for higher powered pumps - Transparent top head to see large debris

* For a cleaner to function correctly both minimum pump power and minimum system flow rate are required.

Hydraulic Cleaners

Handheld Suction from Filtration System

Skooba™ was designed to easily and efficiently clean small to medium above-ground pools by connecting it to the water outlet to vacuum underwater debris. It is a handheld solution that can vacuum sand, pebbles, dirt and leaves from the bottom of pools. It is easy to assemble without the use of any tools. Simply attach the cleaner to the included pole and hose, connect the hose to the pool, and start vacuuming!

Ideal for Small Soft Wall Pools

Skoo

ba™ Pool Vacuum System

Complete kit including vacuum head, hose and pole.

K535CBX

Features:

- Connects to water outlet and vacuums underwater debris.
- Internal filter bag collects debris such as dirt, leaves and sand before it reaches the pool filter to avoid clogging of filter.
- Convenient twist-and-lock transparent top head to easily remove debris.
- Lightweight aluminum handle enables cleaning with minimum effort.
- Easy to assemble.
- Includes connectors compatible with most leading pool brands on the market.
- Includes 5m / 16ft hose and 4 section aluminum pole - extended length 178cm / 5ft10in.
- Includes 1 basic nozzle.
- Recommended for: Small Size Pools 2.4m - 4.5m / 8ft - 15ft
- Min. Flow Rate: 530gal/hr / 2m³/h & Min. Pump Power: 45W
- Max. Flow Rate: 1,300gal / 5m³/hr & Max. Pump Power: 0.5HP / 375W

European patent application no. 002092155-0001



Hydraulic Cleaners

Handheld Suction from Filtration System

Ideal for Small to Medium Soft Wall Pools

SkoobaMax™ Pool Vacuum System

Complete kit including vacuum head, hose and pole.

K563CBX

Features:

- Connects to water outlet and filters underwater debris.
- Internal filter bag collects debris such as dirt, leaves and sand before it reaches the pool filter to avoid clogging of filter.
- Convenient twist-and-lock transparent top head to easily remove debris.
- Lightweight aluminum handle enables cleaning with minimum effort.
- Easy to assemble.
- Includes connectors compatible with most leading pool brands on the market.
- Includes 6m hose and 5 sections aluminum pole - extended length 220cm / 7ft3in.
- Includes 1 basic nozzle and 1 wide pivoting head for efficient cleaning of larger pools.
- Wide nozzle with rotational ball wheels for easy gliding and clip-on brushes for removal of dirt on pool bottom.
- Recommended for: Medium Size Pools 2.4m - 5.5m / 8ft - 18ft
- Min. Flow Rate: 530gal/hr / 2m³/h & Min. Pump Power: 45W



European patent application no. 002092155-0001

Hydraulic Cleaners

Handheld Suction from Filtration System

The **B-Vac™** is a unique pool vacuum kit designed specifically for vacuuming soft wall above ground pools with low flow filtration systems. Unlike conventional jet vacuum systems, no additional water is added to the pool when using the **B-Vac™**. An internal filter bag collects debris and filters pool water, thereby avoiding clogging and actually prolonging the life of the pool filter cartridge. The pre-filter can be easily removed, emptied, and replaced. Wheels underneath the head ensure smooth gliding across the pool floor, while a clip-on brush removes dirt stuck on the pool bottom.



Ideal for Small Soft Wall Pools

B-Vac™

Complete kit including vacuum head, hose and pole.

K923CBX

Features:

- Connects to water outlet and filters underwater debris.
 - Internal filter bag collects debris and filters pool water, thereby avoiding clogging and prolonging the life of the pool filter cartridge.
 - Wheels for speedy gliding and increased underwater agility.
 - Clip-on brush scrubs away debris stuck to the pool bottom.
 - Lightweight handle reaches 178cm / 5ft10in when assembled.
 - Easy to assemble.
- Recommended for: Small Above Ground Pools 2.4m - 4.5m / 8ft - 15ft
- Min. Flow Rate: 530gal/hr / 2m³/h & Min. Pump Power: 45W

Accessories:

- Includes 5m / 16ft of standard hose.
- Includes connectors compatible with most leading pool brands on the market.

European patent no. 001688797-0001
China patent no. ZL 2010 3 0160567.8
US patent no. D637,779



Hydraulic Cleaners

Handheld Suction from Filtration System



The **V-Trap™** is a unique pool vacuum system designed specifically for cleaning soft wall or small steel walled above ground pools from 457cm / 15ft to 549cm / 18ft round or rectangular. Debris is collected by a pre-filter cage, visible through the transparent body of the **V-Trap™** and does not send it to the pool filter. This avoids clogging of small cartridge filters, and reduces the need for backwash of sand filters. Its weighted head and spring-loaded handle maintain good surface contact, while its dual swivel handle and hose connection ensure maneuverability into any corner of the pool. The underside spiral ridges create a vortex to increase vacuuming efficiency while underside brushes remove dirt from the pool floor. Soft corner bumpers around the head protect pool liners.



V-Trap™ Head Features:

- The weighted head and spring-loaded handle help maintain good surface contact.
 - Dual swivels on handle and hose connection avoid twisting of hose.
 - Underside spiral ridges create a vortex increasing vacuuming efficiency.
 - Underside brushes for better removal of dirt & debris from the pool floor.
 - Internal pre-filter catches debris before it reaches your cartridge filter.
 - Transparent head to see when pre-filter cage is full.
 - Soft corner bumpers protect pool liners.
- Recommended for: Medium Above Ground Pools 4.5m - 5.5m / 15ft - 18ft
 - Min. Flow Rate: 1,000gal/hr / 3.8m³/h & Min. Pump Power: 85W

V-Trap™ Pool Vacuum System

K816CBX

Includes:

1. V-Trap™ vacuum head
2. 6m / 20ft of Dia. 32mm / 1¼in flexible vacuum hose
3. Lightweight aluminum handle in 6 sections measuring 240cm / 8ft when fully assembled.
4. Includes connectors compatible with most leading soft wall pool brands on the market.



European patent no. 001508151-0001
 China patent no. ZL 2009 3 0187409.9
 US patent no. D630,810

V-Trap™ Pool Vacuum Kit

Complete maintenance kit including all the necessary accessories for pool cleaning.

K873CBX

Includes:

1. V-Trap™ vacuum head
2. 6m / 20ft of Dia. 32mm / 1¼in flexible vacuum hose
3. Heavy-duty telescopic pole in 3 sections of 100cm / 3¼ft
4. Deep net plastic leaf rake
5. 25cm / 10in plastic wall brush
6. Connectors compatible with most leading soft wall pool brands on the market.



Hydraulic Cleaners



Handheld Independent of Filtration System

The **ManoVac™** is ideal for vacuuming spas or small soft wall above-ground pools that are not equipped with any filtration system. It is also a practical additional tool for removing small debris from traditional pools. The powerful vacuum force created by manually actioning the **ManoVac™** collects debris inside an easily-removable filter cage made of high-quality stainless steel. The transparent body around the filter cage allows users to see when it is full.

ManoVac™

K738CBX

- Pump action hand-operated vacuum does not require batteries or connection to pool filter system.
- Suitable for spas and small soft wall above-ground pools, as well as spot cleaning.
- Includes add-on brush nozzle, leaf skimmer, and practical wall mounting bracket for storage.
- Packed in an attractive and compact color box.



Hydraulic Cleaners

Automatic Low Flow Pumps

Zappy™ is the world's first automatic pool cleaner for above-ground pools with low-flow filtration systems. **Zappy™** is easy to assemble and effortless to use as it vacuums underwater debris automatically. It includes an easy to access compartment to collect debris and avoid clogging the pool's filtration system. Just connect it to the pool's water return and it will start vacuuming automatically.

Zappy™

K755CBX

Features:

- Patented-design specifically for above ground pools with low-flow filtration systems (Minimum 99W and 3.8m³/h system flow rate).
- Easy to operate. Turn on the pump and **Zappy™** will start automatically.
- Integrated pre-filter collects debris such as dirt, leaves and sand to avoid clogging of pump filter.
- Wide-clip system on the bottom plate provides easy access to the debris compartment.
- Float and weight provide optimum maneuverability.
- Recommended for soft wall pools.
- Includes hoses with total length of 6.1m / 20ft.
- Includes connectors compatible with most leading pool brands on the market.
- Recommended pool size: from 4.57m / 15ft to 4.85m / 15ft to 16ft



ZappyMax™

K766CBX

Features:

- Extra hose with total length of 8m / 26ft3in.
- Includes hose weight for use in deeper pools.
- Convenient storage bag.
- Recommended pool size: from 4.57m / 15ft to 6.1m / 20ft



European patent no. 2048306
 China patent no. ZL 2008 1 0168549.6
 Canadian patent application no. 2,638,792
 US patent no. 8,209,807



Hydraulic Cleaners

Automatic Low Flow Pumps

NEW

Kri||™ is a cleaner designed to combine the advantages of both hammer-type automatic cleaners and automatic cleaners using a diaphragm. Indeed, the technology used for Kri|| enables to capture debris inside the integrated filter cage while providing a perfectly silent operation. This efficient cleaner can work with relatively low pump power and has a high debris capacity.

Kri||™

AC11CBX

Features:

- Automatically vacuums the bottom of medium pools.
- Specifically designed for above-ground pools with low-flow filtration systems.
- Silent operation thanks to its diaphragm technology.
- Integrated pre-filter cage collects debris to prevent clogging.
- Filter cage is easy & convenient to empty thanks to the opening system and removeable lid.
- Float & weight provide optimum manoeuvrability.

- Recommended for: Above Ground Pools up to 4.85cm / 16ft
- Min. Pump power: 99W

Specifications:

- Includes 7.5m / 24ft6in hose (with 2 extra hoses length).
- Includes connectors compatible with most leading pool brands on market.



Hydraulic Cleaners

Automatic Medium Flow Pumps

Dipper™

K910CBX

Features:

- Membrane technology ensures silent operation with optimum cleaning efficiency.
- Low maintenance due to just one moving part.
- Lightweight design enables it to clean rapidly across the pool floor.
- Finned disc enables it to glide smoothly across the pool bottom.
- Integrated handle facilitates carrying and lifting from the pool.
- Simple twist-and-lock cassette for easy access to change the diaphragm.
- Easy set-up.
- Recommended for: Above Ground Pools up to 6.1m / 20ft
- Min. System Flow Rate: 1,300gal/hr / 5m³/h
- Min. Pump Power: 0.5HP / 375W
- Also suitable for pools with an inclined bottom.
- Includes 8.25m / 27ft of standard hoses.
- Connection to soft wall pools requires leaf canister AC05CBX.



European patent no. 001820614-0001
US patent application no. 29386977




The **Derby™** is an economical suction cleaner recommended for above ground pools. With its short-tube design and racket-shaped top ring, the Derby is packed in a compact color box for reduced freight costs. The set-up is simple and takes just a few minutes.

Derby™

K767CBX/RV

Features:

- Short-tube design and racket-shaped top ring allow compact packaging for shipping and displays.
- With pressure regulator for adjustment to ideal suction.
- Advanced polymer footpad for increased performance and durability.
- Compact back bumper helps clear steps and other obstacles.
- Recommended for: Above Ground Pools up to 6.1m / 20ft
- Min. System Flow Rate: 1,300gal/hr / 5m³/h
- Min. Pump Power: 0.5HP / 375W
- Also suitable for pools with an inclined bottom.
- Includes 8.25m / 27ft of standard hoses.
- Connection to soft wall pools requires leaf canister AC05CBX.



Hydraulic Cleaners

Automatic Medium Flow Pumps

The ZapVac™ is suitable for both in-ground and above ground pools. Its reliable and proven design enables it to efficiently vacuum up debris from the pool bottom and the walls. The set-up is simple and takes just a few minutes.

ZapVac™

K389CBX/GB

Features:

- Reliable and proven design enables efficient vacuuming of debris from the pool bottom and walls.
- Back bumper helps clear steps and other obstacles.
- Float and weight provides optimum maneuverability.
- Pressure regulator for adjustment of suction.
- Advanced polymer footpad for increased performance and durability.
- Recommended for: In-Ground & Above Ground Pools up to 7.3m / 24ft (excluding soft wall pools)
- Min. System Flow Rate: 1,600gal/hr / 6m³/h
- Min. Pump Power: 0.75HP / 550W
- Also suitable for pools with an inclined bottom.
- Climbs walls.
- Includes 9.6m / 31ft6in of standard hoses.



European patent no. 000138078-0001
China patent no. ZL 2006 3 0005694.4




Compatible with leaf canister K918CBX (sold separately)



See Page 22



European patent no. 001820614-0001
US patent no. D681,889



DipperMax™

K915CBX

Features:

- Membrane technology ensures silent operation with optimum cleaning efficiency.
- Lightweight design enables it to clean rapidly across the pool floor.
- The membrane system ensures a smooth passage of debris
- Low maintenance required due to just one moving part.
- Large circular deflector to navigate around steps, ladders, and corners even in the most complex pools.
- Climbs wall.
- Recommended for: In-Ground & Above Ground Pools up to 7.3m / 24ft (excluding soft wall pools)
- Min. System Flow Rate: 1,600gal/hr / 6m³/h
- Min. Pump Power: 0.75HP / 550W
- Also suitable for pools with an inclined bottom.
- Includes 9.75m / 31ft6in of standard hoses.

Compatible with leaf canister K918CBX (sold separately)



See Page 22

Hydraulic Cleaners

Automatic Medium Flow Pumps

The **Butterfly™** is a membrane type automatic suction cleaner that is easy to connect through the wall skimmer or dedicated suction line of in-ground or above-ground pools. Its lightweight design, combined with a high-performance spiral wound vacuum hose, enables it to move rapidly across the pool floor and walls. The membrane system ensures the easy passage of debris, low maintenance due to just one moving part, and a very silent operation.

Butterfly™


K905CBX

Features:

- Membrane technology ensures silent operation with optimum cleaning efficiency.
- Low maintenance due to just one moving part.
- Lightweight design enables it to move rapidly across the pool floor.
- Finned disc enables it to glide smoothly across the pool bottom.
- Integrated handle facilitates carrying and lifting out of the pool.
- Simple twist and lock cassette for easy access to change the diaphragm.
- Large circular deflector and weighted bumper to navigate around steps, ladders, and corners even in the most complex pools.
- **High-performance spiral wound vacuum hose reinforced with fiberglass for extra durability.**
- Simple installation.
- Recommended for: In-Ground & Above Ground Pools up to 8.2m / 27ft (excluding soft wall pools)
- Min. System Flow Rate: 1,600gal/hr / 6m³/h
- Min. Pump Power: 0.75HP / 550W
- Also suitable for pools with an inclined bottom.
- Climbs walls.
- Includes 10.4m / 34ft of long wearing spiral wound hose.
- Includes 1 extra replacement membrane. (Additional replacement membranes sold separately)



European patent no. 001820614-0001
US patent application no. 29386977



Compatible with leaf canister K918CBX
(sold separately)



See Page 22

Hydraulic Cleaners

Automatic Medium Flow Pumps

The Zorba™ is suitable for cleaning both in-ground and above ground pools with flat bottoms. With its patented dual jet system that propels and redirects the cleaner away from obstacles, it moves rapidly and can quickly vacuum up debris from the entire pool floor. By acting as a moving return line, the cleaner can also improve the even distribution of chemicals throughout the pool.

Zorba™ Pressure Side Automatic Pool Cleaner


K800CBX

Features:

- Unique patented Dual Jet System directs the cleaner.
- Quick, effective and silent cleaning of pool bottom.
- Works off water return, does not block wall skimmer during operation.
- Continuous smooth flow with venturi vacuum effect puts less strain on pumps than suction cleaners.
- Low friction hose connections for increased mobility.
- Filter mesh size: 560µm
- Filtering surface area: 537cm² / 83 sq. in
- Includes 8.25m / 27ft of spiral wound hose.
- Recommended for: In-Ground & Above Ground Pools up to 6.1m / 20ft
- Min. System Flow Rate: 2,100gal/hr / 8m³/h
- Min. Pump Powers: 0.75HP / 550W
- For pools with a flat bottom only.



European patent no. 2314799, 001567140-0001
China patent no. ZL 2009 3 0190679.5
US patent publication no. 2011/0088725
US patent no. D644,799



Hydraulic Cleaners

Automatic Medium Flow Pumps

The ZapMax™ is recommended for in-ground pools. Its hydrodynamic casing and new high-performance mat enable it to glide smoothly across the pool bottom. Its performance is also enhanced by the use of a high-quality spiral wound hose, which is reinforced with fiberglass for extra durability. Debris is vacuumed up from underneath and through lateral openings that can collect suspended particles. An integrated handle facilitates carrying and lifting out of the pool. A transparent top head allows any trapped large debris to be seen and removed in case of blockage.

ZapMax™

K922CBX

Features:

- Powerful suction of debris from underneath (like traditional cleaners) and from lateral openings.
- Aerodynamic and sturdy body is ideal for use with higher powered pumps.
- Integrated handle facilitates carrying and lifting out of the pool.
- Transparent top head allows debris to be seen and easily removed in case of blockage.
- Finned disc enables cleaner to glide smoothly across the pool bottom.
- Pressure regulator for adjustment of suction.
- High-performance spiral wound vacuum hose reinforced with fiberglass for extra durability.
- Recommended for: In-Ground Pools up to 8.2m / 27ft
- Min. System Flow Rate: 2,000gal/hr / 7.5m³/h
- Min. Pump Powers: 1HP / 750W
- Includes 10.4m / 34ft of long wearing spiral wound hose.



European patent no. 000778477-0001
China patent no. ZL 2007 3 0152263.5



Compatible with leaf canister K918CBX
(sold separately)



See Page 22

Hydraulic Cleaners

Leaf Canister

Leaf Canister

For Soft Wall Pool Cleaners

AC05CBX

Features:

- Enables use of Derby and Dipper cleaners with soft wall pools (Min. Pump Power: 0.5HP / 375W and Min. System Flow Rate: 1,300gal/hr / 5m³/h)
- Traps leaves, twigs, hair, pebbles, etc. before they get to the pool pump or filter.
- Prolongs the life of the pump and motor by preventing clogging.
- Reduces the need to clean the strainer basket, the skimmer, filter, and pump.
- Clear plastic container allows user to see if emptying is required without having to open the canister.
- Recommended for low powered pumps.
- Included connector for leading broods of soft wall pools.



Leaf Canister

K918CBX

Features:

- Connects between standard hoses of any automatic pool cleaner.
- Traps leaves, twigs, hair, pebbles, etc. before they get to the pool pump or filter.
- Reduces the need to clean the strainer basket, the skimmer, filter and pump.
- Prolongs the life of the pump and motor by preventing clogging.
- Clear plastic container allows user to see if emptying is required without having to open the canister
- Handle makes leaf canister easier to retrieve from the water.
- Lock system is sturdy, watertight and easy to open.
- Not recommended for low powered pumps.
- Includes connectors for use with hose male cuff of inner Ø37mm and hose female cuff of inner Ø41mm.



FRANCE

KSD France SAS
Tel : +33 3 85 32 67 36
Fax : +33 3 85 32 67 37
Email : contact@ksdfrance.fr

ESPAÑA

KOKIDO SERVICE S.L.
Tel : +34 902 35 10 45
Fax : +34 902 45 15 60
Email : info@kokido.com

HONG KONG

KOKIDO DEVELOPMENT LTD.
Tel : +852 2342 3008
Fax : +852 2797 2625
Email : orderadmin@kokido.com

Kokido Pool Products

